



# UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE  
United States Patent and Trademark Office  
Address: COMMISSIONER FOR PATENTS  
P.O. Box 1450  
Alexandria, Virginia 22313-1450  
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/584,198	03/09/2007	Sung Uk Moon	292947US8PCT	9130
22850 7590 05/10/2010 OBLON, SPIVAK, MCCLELLAND MAIER & NEUSTADT, L.L.P. 1940 DUKE STREET ALEXANDRIA, VA 22314				
EXAMINER PHAM, TIMOTHY X				
ART UNIT 2617		PAPER NUMBER		
NOTIFICATION DATE 05/10/2010		DELIVERY MODE ELECTRONIC		

**Please find below and/or attached an Office communication concerning this application or proceeding.**

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

patentdocket@oblon.com  
oblonpat@oblon.com  
jgardner@oblon.com

**Application No.**

**Applicant(s)**

10/584,198

MOON ET AL.

***Response to Rule 312 Communication***

**Examiner**

**Art Unit**

TIMOTHY PHAM

2617

**-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --**

1. ☒ The amendment filed on 30 April 2010 under 37 CFR 1.312 has been considered, and has been:

a) ☐ entered.

b) ☒ entered as directed to matters of form not affecting the scope of the invention.

c) ☐ disapproved because the amendment was filed after the payment of the issue fee.

Any amendment filed after the date the issue fee is paid must be accompanied by a petition under 37 CFR 1.313(c)(1) and the required fee to withdraw the application from issue.

d) ☐ disapproved. See explanation below.

e) ☐ entered in part. See explanation below.

Correction typographical error as "the same information among the plurality of base station" to "the same data among the plurality of base station".

/VINCENT P. HARPER/  
Supervisory Patent Examiner, Art Unit 2617

/ Timothy Pham/  
Examiner, Art Unit 2617